

1	IS&R	L1	5	("5627492") or ("6246627")).PN.	USPAT	2004/04/16 10:43
2	BRS	L2	77754	(pass or transfer or signal) adj (gate\$1 or transistor\$1 or switch\$3)	USPAT	2004/04/16 10:47
3	BRS	L3	77952	2 or (passgate\$1 or transfergate\$1)	USPAT	2004/04/16 10:48
4	BRS	L4	11754	3 with (stor\$3 or ff or flipflop\$1 or (flip adj flop\$1) or multivibrator\$1 or hold\$3)	USPAT	2004/04/16 10:49
5	BRS	L5	1579	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 power)	USPAT	2004/04/16 11:31
6	BRS	L6	202	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 energy)	USPAT	2004/04/16 11:32
7	BRS	L7	1866	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 voltage)	USPAT	2004/04/16 10:51
8	BRS	L8	84	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vdd\$1 or "V.sub.dd"))	USPAT	2004/04/16 11:33
9	BRS	L9	129	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vcc\$1 or "V.sub.cc"))	USPAT	2004/04/16 10:52
10	BRS	L10	10	4 and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 PS)	USPAT	2004/04/16 10:53
11	BRS	L11	1	4 and ((disconnect\$3 or cutoff) near3 PS)	USPAT	2004/04/16 11:35
12	BRS	L12	27	4 and ((disconnect\$3 or cutoff) near3 (Vcc\$1 or "V.sub.cc"))	USPAT	2004/04/16 11:35
13	BRS	L13	15	4 and ((disconnect\$3 or cutoff) near3 (Vdd\$1 or "V.sub.dd"))	USPAT	2004/04/16 10:54
14	BRS	L14	180	4 and ((disconnect\$3 or cutoff) near3 voltage)	USPAT	2004/04/16 10:54
15	BRS	L15	13	4 and ((disconnect\$3 or	USPAT	2004/04/16

				15 or 16		10:56
18	BRS	L18	698	327/519,544,594.ccls.	USPAT	2004/04/16 10:56
19	BRS	L19	506	327/226,227.ccls.	USPAT	2004/04/16 10:57
20	BRS	L20	15	17 and (18 or 19)	USPAT	2004/04/16 11:03
21	BRS	L21	1092	17 and (327/\$ or 365/\$).ccls. not 20	USPAT	2004/04/16 11:04
22	BRS	L22	376	21 and (standby or (stand adj by) or STBY or sleep\$3 or idl\$3 or inactive)	USPAT	2004/04/16 11:59
23	BRS	L23	122	22 and restor\$5	USPAT	2004/04/16 11:30
24	BRS	L24	170	(18 or 19) and (2 or 3) not (20 OR 23)	USPAT	2004/04/16 11:31
25	BRS	L25	201	(18 OR 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 power)	USPAT	2004/04/16 11:31
26	BRS	L26	8	(18 OR 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 energy)	USPAT	2004/04/16 11:32
27	BRS	L28	231	(18 OR 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 voltage)	USPAT	2004/04/16 11:32
28	BRS	L29	22	(18 or 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vdd\$1 or "V.sub.dd"))	USPAT	2004/04/16 11:33
29	BRS	L30	24	(18 or 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vcc\$1 or "V.sub.cc"))	USPAT	2004/04/16 11:34
30	BRS	L31	1	(18 or 19) and ((stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 PS)	USPAT	2004/04/16 11:35
31	BRS	L32	0	(18 or 19) and ((disconnect\$3 or cutoff) near3 PS)	USPAT	2004/04/16 11:35

33	BRS	L34	3	((disconnect\$3 or cutoff) near3 (Vdd\$1 or "V.sub.dd"))	USPAT	2004/04/16 11:36
34	BRS	L35	15	((18 or 19) and ((disconnect\$3 or cutoff) near3 voltage))	USPAT	2004/04/16 11:36
35	BRS	L36	1	((18 or 19) and ((disconnect\$3 or cutoff) near3 energy))	USPAT	2004/04/16 11:36
36	BRS	L37	35	((18 or 19) and ((disconnect\$3 or cutoff) near3 power))	USPAT	2004/04/16 11:36
37	BRS	L38	100	24 and (25 or 26 or 28 or 29 or 30 or 31 or 33 or 34 or 35 or 36 or 37)	USPAT	2004/04/16 11:57
38	BRS	L39	70	24 not 38	USPAT	2004/04/16 11:54
39	BRS	L40	231	((25 or 26 or 28 or 29 or 30 or 31 or 33 or 34 or 35 or 36 or 37) not (1 or 20 or 23 or 24))	USPAT	2004/04/16 11:59
40	BRS	L41	0	22 and 40	USPAT	2004/04/16 11:59
41	BRS	L42	87	40 and (standby or (stand adj by) or STBY or sleep\$3 or idl\$3 or inactive)	USPAT	2004/04/16 12:24
42	BRS	L43	144	40 not 42	USPAT	2004/04/16 13:15